



CITY OF NORTH RICHLAND HILLS
SIGN REVIEW BOARD AGENDA
4301 CITY POINT DRIVE
NORTH RICHLAND HILLS, TX 76180
MONDAY, JUNE 24, 2024

The North Richland Hills City Council, sitting as the Sign Review Board, will meet immediately following the 7:00 p.m. June 24, 2024 City Council meeting.

REGULAR MEETING: 7:00 PM

Held in the Council Chamber

A. CALL TO ORDER

B. PUBLIC COMMENTS

An opportunity for citizens to address the Sign Review Board on matters which are scheduled on this agenda for consideration by the Board, but not scheduled as a public hearing. In order to address the Sign Review Board during public comments, a Public Meeting Appearance Card must be completed and presented to the recording secretary prior to the start of the Sign Review Board meeting.

C. ACTION ITEMS

C.1 [Approve the minutes of the April 22, 2024 Sign Review Board meeting.](#)

D. PUBLIC HEARINGS

D.1 [SRB24-0012 Public hearing and consideration of a request from Signs Manufacturing and Maintenance Corp for a variance to Chapter 106 \(Signs\) of the North Richland Hills Code of Ordinances at 6450 Rufe Snow Drive, being 0.62 acres described as Lot 7A, Block 1, North Park Plaza.](#)

D.2 [SRB24-0013 Public hearing and consideration of a request from Hoar Construction for a variance to Chapter 106 \(Signs\) of the North Richland Hills Code of Ordinances at 8851 Boulevard 26, being 5.52 acres described as Lot 4R1, Block 2, Walker Branch Addition.](#)

E. ADJOURNMENT

Certification

I do hereby certify that the above notice of meeting of the North Richland Hills City Council was posted at City Hall, City of North Richland Hills, Texas in compliance with Chapter 551, Texas Government Code on Friday, June 21, 2024 by 3:00 PM.

Traci Henderson
Assistant City Secretary

This facility is wheelchair accessible and accessible parking spaces are available. Requests for accommodations or interpretive services must be made 48 hours prior to this meeting. Please contact the City Secretary's office at 817-427-6060 for further information.