

*CRASH
CHAMPIONS
VARIANCE
REQUEST*



Original Design
Submitted,
Variance Required





EXISTING | APPROXIMATE SCALE: 1/8" = 1'-0"

SCOPE OF WORK: REMOVE EXISTING LOGO CABINET AND RACEWAY LETTER SET. PATCH AND PAINT IMMEDIATE FOOTPRINT BEHIND SIGN. INSTALL NEW SIGN. ENSURE ILLUMINATION



B PROPOSED | APPROXIMATE SCALE: 1/8" = 1'-0"



625 Market Street, Suite 600 Knoxville, TN 37902
(865) 246-6020 Fax (865) 246-6021

Manufacturing Facilities:
Des Moines, OH • Dallas, TX • Jacksonville, TX
Ozarkdale, CA • Racine, WI • Rochester Hills, MI

Office Locations:
Atlanta, GA • Brandon, FL • Indianapolis, IN
Tombica, MI • Daytona Beach, FL • Delaware, OH • Dallas, TX
Grafton, WI • Houston, TX • Irvine, CA • Jacksonville, FL
Knoxville, TN • Las Vegas, NV • Louisville, KY
Ozarkdale, CA • Racine, WI • Rochester Hills, MI • San Antonio, TX
Tampa, FL • Watertown, IL • Waterloo, IL

Building Quality Signage Since 1901

Revisions:
R1 06 02 23 Revise A to keep brick the existing color (no painting)
R2 03 02 23 Rev Sign B SOW w/ Options 1, 2, & 3
R3 03 06 23 CHC remove option 1 & 2 for Sign B
R4 03 14 23 CHC Revise all signs to R20 family (white/spacing)
R5 04 11 23 CHC Revise to sign size family
R6 04 20 23 BW Add option 2 for sign B
R7 04 24 23 BW Revise A to gray retainers & delete option 2 for B
R8 04 27 23 CHC Revise Sign B update parts sign
R9 05 03 23 CHC Update parts sign
R10 05 15 23 BW Revise E to removal only
R11 06 10 23 CA Reduce size of Sign B from CWS-5-4" to 5-4"

Colors Depicted in This Rendering May Not Match Actual Finished Materials. Refer To Product Samples For Exact Color Match.

Client Approval/Date: _____
Landlord Approval/Date: _____

Account Rep: JOHN BROWN
Project Manager: TONI MILLER
Drawn By: Virgo S. Aragonces/GHC

UL Underwriters Laboratories Inc. ncc ELECTRICAL TO USE ALL LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
ALL ELECTRICAL SIGNS ARE TO COMPLY WITH U.L. 48 AND ARTICLE 605 OF THE N.E.C. STANDARDS, INCLUDING THE PROPER GROUNDING AND BONDING OF ALL SIGNS.

Project / Location:
CRASH CHAMPIONS
COLLISION REPAIR TEAM
Store # 0125
8225 NORTHEAST PARKWAY
NORTH RICHLAND H, TX 76180

Job Number: 23-79056-10
Date: February 03, 2023
Sheet Number: 3 of 8
Design Number: 23-79056-10 R11

This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the written permission of Federal Heath Sign Company, LLC or its authorized agent. ©FHSC

*EXAMPLES OF CODE
COMPLIANT SIGN
AND VARIANCE SIGN*

*WITH EXISTING SIGN
SIZE REFERENCE*





EXISTING | NOT TO SCALE

Code Compliant Sign



OPTION 1

B PROPOSED | NOT TO SCALE

Proposed Variance Sign



OPTION 2

B PROPOSED | NOT TO SCALE



VISUAL COMMUNICATIONS
www.FederalHeath.com

625 Market Street, Suite 600 Knoxville, TN 37902
(865) 246-6020 Fax (865) 246-6021

Manufacturing Facilities:
Des Moines, IA - Bures, TX - Jacksonville, TX
Oceanside, CA - Racine, WI - Rochester Hills, MI

Office Locations:
Atlanta, GA - Brandon, FL - Indianapolis, IN
Tomball, TX - Daytona Beach, FL - Delaware, OH - Dallas, TX
Grafton, WI - Houston, TX - Irvine, CA - Jacksonville, FL
Knoxville, TN - Las Vegas, NV - Louisville, KY
Oceanside, CA - Racine, WI - Rochester Hills, MI - San Antonio, TX
Tampa, FL - Waterbury, CT - Westborough, MA

Building Quality Signage Since 1901

Revisions:
R1 07 02 23 Revise A to keep brick the existing color (no painting)
R2 03 02 23 Rev Sign B SOW w/ Options 1, 2, & 3
R3 03 06 23 CHC remove option 1 & 2 for Sign B
R4 03 14 23 CHC Revise all signs to R20 family (white/spacing)
R5 04 11 23 CHC Revise to new sign family
R6 04 20 23 BW Add option 2 for sign B
R7 04 24 23 BW Revise A to gray retainers & delete option 2 for B
R8 04 27 23 CHC Revise Sign B update ports sign
R9 05 03 23 CHC Revise ports sign
R10 05 15 23 BW Revise E to removal only
R11 08 10 23 CA Reduce size of Sign B from CWS-5-4" to 5-4"
R12 02 15 23 BW Reduce size of sign B as noted.
R-Variance 02 22 24 NS Show both sign B size options on front elev.

Colors Depicted in This Rendering May Not Match Actual Finished Materials. Refer To Product Samples For Exact Color Match.

Client Approval/Date: _____
Landlord Approval/Date: _____

Account Rep: JOHN BROWN
Project Manager: TONI MILLER
Drawn By: Virgo S. Aragonces/CHC

UL Underwriters Laboratories Inc. ncc ELECTRICAL TO USE ALL LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
ALL ELECTRICAL SIGNS ARE TO COMPLY WITH U.L. 48 AND ARTICLE 605 OF THE N.E.C. STANDARDS, INCLUDING THE PROPER GROUNDING AND BONDING OF ALL SIGNS.

Project / Location:
CRASH CHAMPIONS
COLLISION REPAIR TEAM
Store # 0125
8225 NORTHEAST PARKWAY
NORTH RICHLAND H, TX 76180

Job Number: 23-79056-10
Date: February 03, 2023
Sheet Number: 3 of 5
Design Number: 23-79056-10 Sign B Variance

This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the written permission of Federal Heath Sign Company, LLC or its authorized agent. ©FHSC

Code Compliant Sign- 50 Squared Feet >



EXISTING | NOT TO SCALE



OPTION 1

B PROPOSED | APPROXIMATE SCALE: 1/8" = 1'-0"



OPTION 2

B PROPOSED | APPROXIMATE SCALE: 1/8" = 1'-0"

Proposed Sign for Variance- 103.17 Squared Feet >



625 Market Street, Suite 600 Knoxville, TN 37902
(865) 246-6020 Fax (865) 246-6021

Manufacturing Facilities:
Des Moines, OH - Eures, TX - Jacksonville, TX
Oceanside, CA - Racine, WI - Rochester Hills, MI

Office Locations:
Atlanta, GA - Brandon, FL - Indianapolis, IN
Tomball, MO - Daytona Beach, FL - Des Moines, OH - Eures, TX
Grafton, WI - Houston, TX - Irvine, CA - Jacksonville, TX
Knoxville, TN - Las Vegas, NV - Louisville, KY
Oceanside, CA - Racine, WI - Rochester Hills, MI - San Antonio, TX
Tampa, FL - Waterbury, CT - Westwood, IL

Building Quality Signage Since 1901

Revisions:
R1 07 02 23 Revise A to keep brick the existing color (no painting).
R2 03 02 23 Rev Sign B SOW w/ Options 1, 2, & 3
R3 03 06 23 CMC remove option 1 & 2 for Sign B
R4 03 14 23 CMC Revise c/s signs 1/m R20 family (white/spacing)
R5 04 11 23 CMC Revise to new sign family
R6 04 20 23 BW Add option 2 for sign B
R7 04 24 23 BW Revise A to gray retainers & delete option 2 for B.

Colors Depicted in This Rendering May Not Match Actual Finished Materials. Refer To Product Samples For Exact Color Match.

Client Approval/Date: _____
Landlord Approval/Date: _____

R8 04 27 23 CMC Revise Sign B update parts sign
R9 05 03 23 CMC Update parts sign
R10 05 15 23 BW Revise E to removal only.
R11 08 10 23 CA Reduce size of sign B from 11'x5'-4" to 5'-4".
R12 02 15 23 BW Reduce size of sign B as noted.
R-Variances 02 22 24 NS Show both sign B size options on front elev.

Account Rep: JOHN BROWN
Project Manager: TONI MILLER
Drawn By: Virgo S. Aragonces/GHC

UL Underwriters Laboratories Inc. ncc ELECTRICAL TO USE ALL UL LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
ALL ELECTRICAL SIGNS ARE TO COMPLY WITH U.L. 48 AND ARTICLE 605 OF THE N.E.C. STANDARDS, INCLUDING THE PROPER GROUNDING AND BONDING OF ALL SIGNS.

Project / Location:
CRASH CHAMPIONS
COLLISION REPAIR TEAM
Store # 0125
8225 NORTHEAST PARKWAY
NORTH RICHLAND H, TX 76180

Job Number: 23-79056-10
Date: February 03, 2023
Sheet Number: 2 of 5
Design Number: 23-79056-10 Sign B Variance

This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the written permission of Federal Health Sign Company, LLC or its authorized agent. ©FHS



CODE COMPLIANT SIGN DETAILS

AND

VARIANCE SIGN DETAILS

CCWS-3'-6"

NON-STANDARD | BKGD. HEIGHT

BKGD. PANEL HEIGHT REDUCED TO FIT WITHIN 50 SQ.FT. MAX ALLOWED

Code Compliant



NOTE: BACKGROUND PANEL WILL BE SEAMED AT 12'-0" INCREMENTS

OPTION 1

B INTERNALLY ILLUMINATED LOGO & LETTERSET ON BACKGROUND PANEL | ONE (1) REQ
SCALE: 3/8" = 1'-0"
50.0 SQ.FT.

SCOPE OF WORK:

CHANNEL LOGO: 5" DEEP .040 PRE-FINISHED ALUMINUM LOGO CABINET. SATIN BLACK RETURNS & TRIMCAP. 3/16" WHITE ACRYLIC FACE. DIGITAL PRINT OVERLAY. BLACK DIGITAL PRINT BORDER TO RUN UNDER TRIMCAP. WHITE LEDS. INSTALL FLUSH TO BACKER.


CRASH CHAMPIONS CHANNEL LETTERS: 5" DEEP .040 PRE-FINISHED ALUMINUM CHANNEL LETTERS. SATIN BLACK RETURNS AND TRIM CAP. 3/16" WHITE ACRYLIC FACE. WHITE LEDS. INSTALL FLUSH TO BACKER.

COLLISION REPAIR TEAM TAG LINE CABINET: 5" DEEP .040 PRE-FINISHED ALUMINUM CHANNEL TAG LINE. SATIN RED RETURNS AND TRIM CAP. 3/16" WHITE ACRYLIC FACE WITH DIGITAL PRINT OVERLAY PMS 1788C. COPY WILL REVERSE OUT WHITE. INTERNAL WHITE LEDS. CABINET INSTALL FLUSH TO BACKER.

ALUMINUM BACKER: 3" DEEP ALUMINUM BACKER PANEL/WIREWAY TO BE PAINTED BLACK PC AND INSTALLS FLUSH TO WALL

FABRICATION TO BE AS NOTED TO MATCH CUSTOMER SIGN PROGRAM AND EXISTING SITES

2. ACM BACKS / LETTER LOCKED TO RETURNS
4. TRIM CAP TO BE 1" PRE-FINISHED JEWELITE CHEMICALLY BONDED TO FACES (SEAMS AT THE TOP)
LOGO: BLACK TRIM CAP
CRASH: BLACK TRIM CAP
CHAMPIONS: BLACK TRIM CAP
COLLISION REPAIR TEAM CABINET: RED TRIM CAP
5. WHITE LED MODULES
6. RIGID PASS-THRU FOR LOW VOLTAGE LED WIRING
7. 1/4" WEEP HOLES WITH LIGHT BAFFLES (EXTERIOR APPLICATIONS ONLY)
8. ETL COMPLIANT ENCLOSURE FOR LED POWER SUPPLIES +/- 18"L X 7"H, REMOTE LOCATED
9. DISCONNECT SWITCH
10. LED POWER SUPPLIES
11. PRIMARY ELECTRICAL
12. CORROSION RESISTANT FASTENERS PER CONDITIONS
13. ALUM. BACKGROUND PANEL/WIREWAY



INSTALLER NOTE:
INSTALLER RESPONSIBLE TO CHOOSE THE APPROPRIATE FASTENERS PER CONDITIONS



DIGITALLY PRINTED COLORS

- DP-2** PRINT TO MATCH PMS 1788C ON 3M WHITE TRANSLUCENT VINYL
- DP-3** PRINT TO MATCH PMS 1805C ON 3M WHITE TRANSLUCENT VINYL
- DP-4** PRINT TO MATCH BLACK PC ON 3M WHITE TRANSLUCENT VINYL

ELECTRICAL REQUIREMENTS	
Total:	T.B.D. Amps
# of 120V, 20A Circuits Req'd	T.B.D.
ALL BRANCH CIRCUITS SHALL BE DEDICATED TO SIGNS (INCLUDING GROUND AND NEUTRAL) AND SHALL NOT BE SHARED WITH OTHER LOADS.	

REFER TO PAGE 1 FOR ADDITIONAL ELECTRICAL AND INSTALLATION INFORMATION & REQUIREMENTS

INSTALLATION OF THIS SIGN SHALL CONFORM TO ARTICLE 600 OF THE NEC, UL 48 AND OR OTHER APPLICABLE LOCAL CODES, INCLUDING THE PROPER GROUNDING AND BONDING OF THE SIGN.

THE LOCATION OF THE DISCONNECT SWITCH, AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) OF THE NEC.



VISUAL COMMUNICATIONS
www.FederalHeath.com

625 Market Street, Suite 600 Knoxville, TN 37902
(865) 246-6020 Fax (865) 246-6021

Manufacturing Facilities:
Des Moines, OH - Eures, TX - Jacksonville, TX
Oceanside, CA - Racine, WI - Rochester Hills, MI

Office Locations:
Atlanta, GA - Brandon, FL - Indianapolis, IN
Tomball, MI - Daytona Beach, FL - Des Moines, OH - Eures, TX
Grafton, WI - Houston, TX - Irvine, CA - Jacksonville, TX
Knoxville, TN - Las Vegas, NV - Louisville, KY
Oceanside, CA - Racine, WI - Rochester Hills, MI - San Antonio, TX
Tampa, FL - Westborough, IL - Westwood, FL

Building Quality Signage Since 1901

Revisions:
R1 07 02 23 Revise A to keep brick the existing color (no painting)
R2 03 02 23 GB Rev Sign B SOW w/ Options 1, 2, & 3
R3 03 06 23 CHC remove option 1 & 2 for Sign B
R4 03 14 23 CHC Revise all signs 1/m R20 family (white/spacing)
R5 04 11 23 CHC Revise to new sign family
R6 04 20 23 BW Add option 2 for sign B
R7 04 24 23 BW Revise A to gray returns & delete option 2 for B.

Colors Depicted in This Rendering May Not Match Actual Finished Materials. Refer To Product Samples For Exact Color Match.

Client Approval/Date: _____
Landlord Approval/Date: _____

R8 04 27 23 CHC Revise Sign B update parts sign
R9 05 03 23 CHC Revise parts sign
R10 05 15 23 BW Revise E to removal only.
R11 08 10 23 CA Reduce size of sign B from CCWS-5'-6" to 5'-0"
R12 02 15 23 BW Reduce size of sign B as noted.
R13 Variance 02 22 24 NS Show both sign B size options on front elev.

Account Rep: JOHN BROWN
Project Manager: TONI MILLER
Drawn By: Virgo S. Aragonces/CHC

Underwriters Laboratories Inc. (UL) ncc
ELECTRICAL TO USE ALL LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
ALL ELECTRICAL SIGNS ARE TO COMPLY WITH U.L. 48 AND ARTICLE 600 OF THE N.E.C. STANDARDS, INCLUDING THE PROPER GROUNDING AND BONDING OF ALL SIGNS.

Project / Location:
CRASH CHAMPIONS
COLLISION REPAIR TEAM
Store # 0125
8225 NORTHEAST PARKWAY
NORTH RICHLAND H, TX 76180

Job Number: 23-79056-10
Date: February 03, 2023
Sheet Number: 4 of 5
Design Number: 23-79056-10 Sign B Variance

This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the written permission of Federal Heath Sign Company, LLC or its authorized agent. ©FHSC

CCWS-5'-0"

Proposed for Variance



NOTE: BACKGROUND PANEL WILL BE SEAMED DUE TO SIZE

OPTION 2

B INTERNALLY ILLUMINATED LOGO & LETTERSET ON BACKGROUND PANEL | ONE (1) REQ
SCALE: 3/16" = 1'-0" 103.17 SQ FT

SCOPE OF WORK:

CHANNEL LOGO: 5" DEEP .040 PRE-FINISHED ALUMINUM LOGO CABINET. SATIN BLACK RETURNS & TRIMCAP. 3/16" WHITE ACRYLIC FACE. DIGITAL PRINT OVERLAY. BLACK DIGITAL PRINT BORDER TO RUN UNDER TRIMCAP. WHITE LEDS. INSTALL FLUSH TO BACKER.


CRASH CHAMPIONS CHANNEL LETTERS: 5" DEEP .040 PRE-FINISHED ALUMINUM CHANNEL LETTERS. SATIN BLACK RETURNS AND TRIM CAP. 3/16" WHITE ACRYLIC FACE. WHITE LEDS. INSTALL FLUSH TO BACKER.

COLLISION REPAIR TEAM TAG LINE CABINET: 5" DEEP .040 PRE-FINISHED ALUMINUM CHANNEL TAG LINE. SATIN RED RETURNS AND TRIM CAP. 3/16" WHITE ACRYLIC FACE WITH DIGITAL PRINT OVERLAY PMS 1788C. COPY WILL REVERSE OUT WHITE. INTERNAL WHITE LEDS. CABINET INSTALL FLUSH TO BACKER.

ALUMINUM BACKER: 3" DEEP ALUMINUM BACKER PANEL/WIREWAY TO BE PAINTED BLACK PC AND INSTALLS FLUSH TO WALL

FABRICATION TO BE AS NOTED TO MATCH CUSTOMER SIGN PROGRAM AND EXISTING SITES

2. ACM BACKS / LETTER LOCKED TO RETURNS
4. TRIM CAP TO BE 1" PRE-FINISHED JEWELITE CHEMICALLY BONDED TO FACES (SEAMS AT THE TOP)
LOGO: BLACK TRIM CAP
CRASH: BLACK TRIM CAP
CHAMPIONS: BLACK TRIM CAP
COLLISION REPAIR TEAM CABINET: RED TRIM CAP
5. WHITE LED MODULES
6. RIGID PASS-THRU FOR LOW VOLTAGE LED WIRING
7. 1/4" WEEP HOLES WITH LIGHT BAFFLES (EXTERIOR APPLICATIONS ONLY)
8. ETL COMPLIANT ENCLOSURE FOR LED POWER SUPPLIES +/- 18"L X 7"H, REMOTE LOCATED
9. DISCONNECT SWITCH
10. LED POWER SUPPLIES
11. PRIMARY ELECTRICAL
12. CORROSION RESISTANT FASTENERS PER CONDITIONS
13. ALUM. BACKGROUND PANEL/WIREWAY



INSTALLER NOTE:
INSTALLER RESPONSIBLE TO CHOOSE THE APPROPRIATE FASTENERS PER CONDITIONS



DIGITALLY PRINTED COLORS

- DP-2 PRINT TO MATCH PMS 1788C ON 3M WHITE TRANSLUCENT VINYL
- DP-3 PRINT TO MATCH PMS 1805C ON 3M WHITE TRANSLUCENT VINYL
- DP-4 PRINT TO MATCH BLACK PC ON 3M WHITE TRANSLUCENT VINYL

ELECTRICAL REQUIREMENTS		REFER TO PAGE 1 FOR ADDITIONAL ELECTRICAL AND INSTALLATION INFORMATION & REQUIREMENTS
Total:	T.B.D., Amps	
# of 120V, 20A Circuits Req'd	T.B.D.	
ALL BRANCH CIRCUITS SHALL BE DEDICATED TO SIGNS (VOLTAGE GROUND AND NEUTRAL) AND SHALL NOT BE SHARED WITH OTHER LOADS.		

INSTALLATION OF THIS SIGN SHALL CONFORM TO ARTICLE 600 OF THE NEC, UL 48 AND OR OTHER APPLICABLE LOCAL CODES, INCLUDING THE PROPER GROUNDING AND BONDING OF THE SIGN.
THE LOCATION OF THE DISCONNECT SWITCH, AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) OF THE NEC.

FEDERAL HEALTH
VISUAL COMMUNICATIONS
www.FederalHeath.com
625 Market Street, Suite 600 Knoxville, TN 37902
(865) 246-6020 Fax (865) 246-6021

Manufacturing Facilities:
Des Moines, IA - Eures, TX - Jacksonville, TX
Ocala, FL - Racine, WI - Rochester Hills, MI
Office Locations:
Atlanta, GA - Brandon, FL - Indianapolis, IN
Tomball, TX - Daytona Beach, FL - Des Moines, IA - Dallas, TX
Grafton, WI - Houston, TX - Irvine, CA - Jacksonville, FL
Knoxville, TN - Las Vegas, NV - Louisville, KY
Ocala, FL - Racine, WI - Rochester Hills, MI - San Antonio, TX
Tampa, FL - Westborough, IL - Westwood, IL

Building Quality Signage Since 1901

Revisions:
R1 02 02 23 Rev Sign B SOW w/ Options 1, 2, & 3
R2 03 06 23 CHC remove option 1 & 2 for Sign B
R3 03 14 23 CHC Revise all signs to R20 family (white/spacing)
R4 05 01 23 CHC Revise to new sign family
R5 04 20 23 BW Add option 2 for sign B
R6 04 24 23 BW Revise A to gray returns & delete option 2 for B.
Colors Depicted in This Rendering May Not Match Actual Finished Materials. Refer To Product Samples For Exact Color Match.
Client Approval/Date: _____
Landlord Approval/Date: _____

R8 04 27 23 CHC Revise Sign B update parts sign
R9 05 03 23 CHC Update parts sign
R10 05 15 23 BW Revise E to removal only.
R11 08 10 23 CA Revise size of Sign B from CCWS-5'-5" to 5'-0".
R12 02 15 23 BW Reduce size of Sign B as noted.
R-Variance 02 22 24 NS Show both sign B size options on front elev.

Account Rep: JOHN BROWN
Project Manager: TONI MILLER
Drawn By: Virgo S. Aragonces/GHC
UL Underwriters Laboratories Inc. ncc ELECTRICAL TO USE ALL LISTED COMPONENTS AND SHALL MEET ALL N.E.C. STANDARDS
ALL ELECTRICAL SIGNS ARE TO COMPLY WITH U.L. 48 AND ARTICLE 600 OF THE N.E.C. STANDARDS, INCLUDING THE PROPER GROUNDING AND BONDING OF ALL SIGNS.

Project / Location:
CRASH CHAMPIONS
COLLISION REPAIR TEAM
Store # 0125
8225 NORTHEAST PARKWAY
NORTH RICHLAND H, TX 76180

Job Number: 23-79056-10
Date: February 03, 2023
Sheet Number: 5 of 5
Design Number: 23-79056-10 Sign B Variance

This original drawing is provided as part of a planned project and is not to be exhibited, copied or reproduced without the written permission of Federal Heath Sign Company, LLC or its authorized agent. ©FHS



*THANK YOU
FOR YOUR
CONSIDERATION*

