



WATER METER TABLE	
8 - 1" DOMESTIC DOUBLE WATER METER	
3 - 2" DOMESTIC SINGLE WATER METER	

CONSTRUCTION MATERIALS AND METHODS SHALL BE PER NORTH CENTRAL TEXAS COUNCIL OF GOVERNMENTS (NCTCOG) AND IN STRICT ACCORDANCE WITH THE CITY OF NORTH RICHLAND HILLS STANDARD DETAILS.

!!! CRITICAL !!!
 LOCATIONS OF EXISTING UTILITIES ARE APPROXIMATE AND ARE BASED ON PUBLIC RECORDS. THE CONTRACTOR IS COMPLETELY RESPONSIBLE FOR LOCATING ALL EXISTING UTILITIES, BOTH HORIZONTALLY AND VERTICALLY, BEFORE THE COMMENCEMENT OF ANY CONSTRUCTION.

UTILITY RELOCATION NOTE:
 IF ANY EXISTING UTILITY POLES, POWER POLES, GUY WIRES, TELEPHONE UTILITIES, ETC. ARE FOUND TO BE IN CONFLICT WITH THESE CONSTRUCTION PLANS, THE CONTRACTOR SHALL CONTACT THE APPROPRIATE UTILITY COMPANY AND COORDINATE THE RELOCATION OF ANY AND/OR ALL SUCH UTILITIES (NO SPECIAL PAY).

UTILITY CONTRACTOR TO NOTIFY CITY TECHNICAL CONSTRUCTION INSPECTOR AT 427-6400 AT LEAST 48 HOURS PRIOR TO BEGINNING CONSTRUCTION

- WATER AND SEWER NOTES:**
- ALL CONSTRUCTION SHALL BE IN CONFORMANCE WITH THE CITY OF NORTH RICHLAND HILLS AND THE NORTH CENTRAL TEXAS COUNCIL OF GOVERNMENTS STANDARDS FOR PUBLIC WORKS CONSTRUCTION (N.C.T.C.O.G.).
 - SEWER LINES SHALL BE 8-INCH SDR-35 PVC OR APPROVED EQUAL.
 - WATER LINES SHALL BE 8-INCH AWWA C-900 PVC WATER PIPE OR APPROVED EQUAL.
 - WATER AND SEWER SHALL MAINTAIN 9' CLEARANCE OR AS OTHERWISE GOVERNED BY TCEQ 217 AND/OR 290. THIS INCLUDE LATERALS AND MANHOLES.
 - ALL WATER MAINS SHALL BE LAID WITH #14 AWG TRACER WIRE WITH BLUE 30 MIL HDPE COATING.

**HAMILTON
 DUFFY, PC**
 CONSULTING
 CIVIL & ENVIRONMENTAL ENGINEERS - PLANNERS - CONSTRUCTION MANAGERS
 8241 MID-CITIES BLVD., NORTH RICHLAND HILLS, TEXAS 75242
 PHONE (817) 268-8488
 www.hamiltonduffy.com

BERRY CREEK VILLAGE
 MID-CITIES BLVD.
 NORTH RICHLAND HILLS, TEXAS
 WATER AND SANITARY SEWER PLAN



JOB	DATE	DESIGNED	DRAWN	CHECKED	STAFF
BY	MM				
NO. REVISION	ADJUST	HEAD			
SHEET					

C1.50