

Sole Source Justification/Approval Form

REQ # _____

PO # _____

Complete this form when only one source is available for goods or services requested or when only one product will meet your needs. Respond to all questions that apply. Please complete and forward to the Purchasing Department, along with Sole Source letter provided by vendor. If more space is needed, please attach additional page(s).

PURCHASE INFORMATION

1. Provide Estimated Price.

2. Provide name, manufacturer, and model number of item being purchased or the services to be purchased.

3. Provide Description of requested items or services and their purpose(s). Add additional sheet if needed.

4. Reason(s) for requesting a sole source purchase:

- ☐ Original manufacturer or provider.
- ☐ Only local distributor for the original manufacturer or provider.
- ☐ Only known item or service matching the requested needs or performing the intended task.
- ☐ Sole provider of a licensed or patented good or service.
- ☐ Sole provider of items compatible with existing equipment, inventory, systems, programs or services.
- ☐ Sole provider or factory-authorized warranty service.
- ☐ None of the above applies (Please attach a detailed explanation and justification for this sole source request.)

5. Explain why the product or service requested is the only one that can satisfy your requirements.

6. Identify other sources reviewed and why they are unacceptable. Be specific with regard to specifications. Attach additional pages if necessary.

I certify that the above statements are true and correct, and that no other material fact or consideration offered or given has influenced this recommendation for a sole-source or proprietary purchase.

Print/Type Name

Print/Type Title

Department

Department Director's Signature

Date

Telephone Number

PURCHASING USE ONLY

Approved by: _____

Purchasing Manager (or designee)

Date: _____

QUOTATION

**North Texas Anti-Gang Center
ATTN: Scott McRory
6303 Commerce St., Suite 100
Irving, Texas 75063**



December 14, 2022



Bullet Recovery System – 60" High

This model has a "footprint" of 15' 2" long by 5' wide.

The inside dimension of the containment vessel is 101" long, 28" wide and 58" high.

A self-contained, modular unit, all-stainless containment vessel, with every abutment welded 4 times – TIG inside & outside and MIG inside & outside. Tank bottom and target end shall be 3/8" Stainless Steel, with all remaining sides a minimum of 1/4" Stainless Steel.

A shooting platform of suitable height will allow a minimum of 48" distance between the shooting port and the rear handrails. A 24" walkway of the same height will traverse the entire length of the tank. Platform surface will be constructed of 1/8" aluminum checker decking. Two tiers of anodized aluminum tube handrails will enclose the entire platform and walkway.

The warranty, utility hook-ups, start up, personnel training and a detailed Operating Guide are included.

Includes:	6" diameter shooting-port	Interior HDPE mat
	Custom Stainless water pump	Water cartridge filter
	Vacuum Retrieval	Surface Skimmer

Options Included:	Solid-State LED Interior Lighting
	Lid Closing Warning System for Automated Lid
	HEPA Air Filtration System with High Pressure Blower

Accessory Included:	Remote Firing Platform	\$2,750.00
	Safety Shooting Platform	\$3,750.00
	- Hydraulic User Adjustable	
	Brass Catcher	\$1,050.00

Bullet Recovery System Price	\$76,575.00
------------------------------	-------------

Shipping	(Arlington, TX)	\$ 2,950.00
----------	-----------------	-------------

TOTAL PRICE DELIVERED; EXCLUSIVE OF ANY APPLICABLE TAXES **\$79,525.00 USD**

20% down and 70% on delivery and balance upon installation.

Delivery: 90 - 120 days after receipt of order - Quote valid 60 days.

Your Responsibility

You will have to unload the equipment and place it within the facility. Equipment weight is approx. 5000 lbs. To offload equipment from flatbed truck, Forklift or overhead crane with slings. You will have to stub water, electrical and drain lines for the equipment. Electrical is Fused/Breaker w/disconnect, 115 VAC, 30 Amps, 60 Hz. Water is 3/4" Brass BALL valve, FPT, with water @ city pressure (30-60 psig). Drain connection is 1 ½ inch.

Our Responsibility

CyberNational will complete the utility hookups and perform the start-up operations. We will provide up to two days training for lab personnel.

Performance Warranty

CyberNational warrants the performance of its Bullet Recovery System to meet the specifications as provided in our description. CyberNational will make any such changes or modifications required to meet those specifications at no charge to your company. However, if your requirements change after the hardware design has been finalized; there will be a charge to make those changes.

Equipment Warranty

CyberNational warrants all equipment it manufactures to be free of manufacturing defects for a period of two years from the date the equipment is placed into service. Bullet Recovery Vessel is warranted against leaks due to manufacturing defects for a period of five years. Major defects, e.g. tank leaks or control or system operational failures, will be repaired on-site. Minor defects, e.g. contactor, pump or compressor will be repaired or replaced at no charge to the customer when returned pre-paid to our facility. CyberNational will repair/replace and return the equipment at our expense.

This warranty excludes any equipment damaged through lightning or improper incoming power, floods or other acts of God, physical abuse or improper maintenance.

CyberNational's sole responsibility is to repair or, at its option, replace any such failed equipment.

Indemnity

CyberNational has no control over the use of its product, or the training or expertise of personnel using the system. CyberNational will not be liable for any personal injury, losses or damages as a consequence of the use of its products, and the customer agrees to indemnify and hold CyberNational harmless in such an event.

Certification:

This CyberNational system will fully contain water under all firing conditions. CyberNational's system is proof-tested to 13,000 ft-lbs. (50 BMG) before leaving our facility. This Bullet Recovery System vessel is fabricated with 3/8" to 1/4" stainless steel thickness on all sides and bottom. This is 25% more steel than the 3/16" stainless steel tanks, more strength, more resistance to bowing under shock, more penetration resistance.



**North Texas Anti-Gang Center
ATTN: Scott McRory
6303 Commerce St., Suite 100
Irving, TX 75063**



RE: Sole Source Vendor Status-Bullet Recovery Systems

CyberNational, Inc. has been selected as a sole source supplier of BULLET RECOVERY SYSTEMS for several municipalities and government agencies. Selection of our company was based on our provision of several unique safety, construction and convenience features not available on other equipment.

The following are some of the agencies that chose to waive the bidding process:

Wilmington, DE PD

United States Military

BATF Walnut Creek, CA

BATF Beltsville, MD

Metropolitan Nashville PD

Arkansas State Crime Lab-Little Rock

Jefferson Parrish Sheriff's Office, LA

TBI-Jackson

California Dept. of Justice-Riverside

TBI - Nashville

Nashville Police Department

Stockton PD, CA

New Orleans Police Department

CO Bureau of Investigation

State of Minnesota-BCAS Bemidji

State of Minnesota – BCAS St Paul

Montgomery County Sheriff-Conroe, TX

Hennepin County Sheriff, Minneapolis

Richland County Sheriff, Columbia, SC

Oregon State Police, 2 Labs

Georgia Bureau of Investigation, 3 Labs

Delaware State Police

Our federal ID # is 62-1312769.

The page following summarizes the features that to date have been unavailable on other equipment. Many thanks for your interest in our products and services.



Construction/Performance Comparisons

Here are some of the comparisons:

1. The CyberNational recovery vessel is a full 60" high, and at 101" in length, enabling a straight-line travel of 115" in water, a 28%-55% safety margin over competitive systems providing 40"-48" tank heights of comparable length.
2. The CyberNational unit has 3/8" and 1/4" plate Stainless Steel or more, a safety margin over those systems providing only 3/16" plate thickness, which is 25% less steel, less strength, less resistance to bowing under shock, less penetration resistance. Additionally, each abutment on our system is welded four times-MIG inside and outside, and TIG inside and outside. This significantly enhances the strength of the vessel and assures long-term leak-proof performance. **No other manufacturer incorporates this detail into their construction process.**
3. CyberNational provides a 167 lb., 11 ga. Stainless Steel, automated lid. Enhancing safety and reducing operator workload. The full-size lid is actuated by two industrial-grade pneumatic cylinders that place 700 pounds of down force on the lid. This ensures the lid stays down and **no test fired projectiles will leave the tank.**
4. The CyberNational system provides an integrated HEPA-grade filtration and High-Pressure Blower System, ensuring the examiner is not exposed to lead and particulates, with the added benefit that no alteration to the building ventilation and conditioning systems is required. The added advantage of filtering vs. discharging to outside atmosphere is that no building make-up air is required, and therefore no heating/cooling losses are incurred. The high-pressure blower is rated at 550 CFM @ 4" static pressure.
5. The CyberNational system will fully contain water under all firing conditions. CyberNational's system is **proof-tested to 13,000 ft-lbs. (50 BMG)** before leaving our facility. We isolate the utility components of the system on its own platform so there is no damage to the electrical or plumbing. **No other manufacturer incorporates this detail into their construction process.**
6. CyberNational's custom build underwater lighting is comprised of 120 high-intensity Light Emitting Diodes (LED's) that are significantly more shock-resistant and longer-lived. No other tank manufacturer offers this Solid-State LED interior lighting; others offer a Filament type - blow-out prone interior light.
7. CyberNational provides an integral skimmer to rapidly clear surface scum, also enhancing visibility. All plumbing and piping are constructed of stainless steel.
8. CyberNational is the only company that offers a 5-year vessel warranty and a 2-year parts/labor warranty on the Bullet Recovery System.

9. The CyberNational system is optional constructed with a 4-point air spring suspension system – **NOT** just rubber pads, fully isolating the tank from the building structure.
10. CyberNational is the only company that offers the optional User Adjustable Safety Shooting Platform and Walkway. With the flip of a switch, you can adjust the shooting platform and walkway to the safest and most comfortable position for test firing and recovery.

We would be most pleased to provide any additional information you may require to support your decision to purchase from CyberNational.

REFERENCES ARE AVAILABLE ON REQUEST!



CYBERNATIONAL INC

Unique Entity ID M992S7MLMPN4	CAGE / NCAGE 0KZL3	Purpose of Registration All Awards
Registration Status Active Registration	Expiration Date Jul 26, 2023	
Physical Address 1512 Sarah CT Murfreesboro, Tennessee 37129-5512 United States	Mailing Address P.O. Box 1814 Murfreesboro, Tennessee 37133-1814 United States	

Business Information

Doing Business as (blank)	Division Name (blank)	Division Number (blank)
Congressional District Tennessee 04	State / Country of Incorporation Tennessee / United States	URL (blank)

Registration Dates

Activation Date Aug 9, 2022	Submission Date Jul 26, 2022	Initial Registration Date May 11, 2001
---------------------------------------	--	--

Entity Dates

Entity Start Date Mar 27, 1987	Fiscal Year End Close Date Dec 31
--	---

Immediate Owner

CAGE (blank)	Legal Business Name (blank)
------------------------	---------------------------------------

Highest Level Owner

CAGE (blank)	Legal Business Name (blank)
------------------------	---------------------------------------

Executive Compensation

Registrants in the System for Award Management (SAM) respond to the Executive Compensation questions in accordance with Section 6202 of P.L. 110-252, amending the Federal Funding Accountability and Transparency Act (P.L. 109-282). This information is not displayed in SAM. It is sent to USAspending.gov for display in association with an eligible award. Maintaining an active registration in SAM demonstrates the registrant responded to the questions.

Proceedings Questions

Registrants in the System for Award Management (SAM.gov) respond to proceedings questions in accordance with FAR 52.209-7, FAR 52.209-9, or 2. C.F.R. 200 Appendix XII. Their responses are displayed in the responsibility/qualification section of SAM.gov. Maintaining an active registration in SAM.gov demonstrates the registrant responded to the proceedings questions.

Exclusion Summary

Active Exclusions Records?

No

SAM Search Authorization

I authorize my entity's non-sensitive information to be displayed in SAM public search results:

Yes

Entity Types

Business Types

Entity Structure Corporate Entity (Not Tax Exempt)	Entity Type Business or Organization	Organization Factors Manufacturer of Goods Subchapter S Corporation
Profit Structure For Profit Organization		

Socio-Economic Types

Check the registrant's Reps & Certs, if present, under FAR 52.212-3 or FAR 52.219-1 to determine if the entity is an SBA-certified HUBZone small business concern. Additional small business information may be found in the SBA's Dynamic Small Business Search if the entity completed the SBA supplemental pages during registration.

Financial Information

Accepts Credit Card Payments
Yes

Debt Subject To Offset
No

EFT Indicator
0000

CAGE Code
0KZL3

Points of Contact**Electronic Business**

♀
Karen Montgomery, Adm Manager

PO Box 1814
Murfreesboro, Tennessee 37133
United States

Sam Reid

PO Box 1814
Murfreesboro, Tennessee 37133
United States

Government Business

♀
Karen Montgomery, Adm Manager

PO Box 1814
Murfreesboro, Tennessee 37133
United States

Karen Montgomery

PO Box 1814
Murfreesboro, Tennessee 37133
United States

Past Performance

♀
Karen Montgomery

PO Box 1814
Murfreesboro, Tennessee 37133
United States

Karen Montgomery

PO Box 1814
Murfreesboro, Tennessee 37133
United States

Service Classifications**NAICS Codes**

Primary
Yes

NAICS Codes
334513

334220

334418

334515

423490

541690

NAICS Title

Instruments And Related Products Manufacturing For Measuring, Displaying, And Controlling Industrial Process Variables

Radio And Television Broadcasting And Wireless Communications Equipment Manufacturing

Printed Circuit Assembly (Electronic Assembly) Manufacturing

Instrument Manufacturing For Measuring And Testing Electricity And Electrical Signals

Other Professional Equipment And Supplies Merchant Wholesalers

Other Scientific And Technical Consulting Services

Disaster Response

This entity does not appear in the disaster response registry.