

KEYNOTES

- 1. SMOOTH FACE CONCRETE BLOCK -BEST BLOCK #685
- 2. EIFS INTERGRAL COLOR TO MATCH SHERWIN WILLIAMS #2835 CRAFTSMAN BROWN
- 3. EIFS INTEGRAL COLOR TO MATCH SHERWIN WILLIAMS #2834 BIRDSEYE MAPLE
- 4. EIFS INTEGRAL COLOR TO MATCH SHERWIN WILLIAMS #6105 DIVINE WHITE
- 5. MTL. MAN DOOR. PAINT TO MATCH MASONRY
- 6. ALUMINUM/GLASS STOREFRONT CLEAR ANODIZED ALUMINUM
- 7. ALUMINUM SECTIONAL OVERHEAD DOORS CLEAR ANODIZED ALUMINUM
- 8. INTERNALLY-ILLUMINATED "BRAKES PLUS" SIGNAGE
- 9. PRE-FINISHED METAL CAP FLASHING PREFINISHED TO MATCH FINISH #4
- 10. DOWNSPOUT AND OVERFLOW SCUPPER PAINT TO MATCH ADJACENT MATERIAL
- 11. DECORATIVE LIGHT FIXTURE.
- 12. KEY DROP BOX
- 13. 1 1/2" X 3/4" EIFS REVEAL
- 14. NOT USED.
- 15. FAUX STONE WHITE OAK COUNTRY LEDGESTONE CV-20046
- 16. MECH. GRILLE PAINT TO MATCH BLOCK
- 17. METAL AWNING BERRIDGE "ZINC-COTE"

				_
DATE	REVISIONS	NAME	AUTHORIZATION	F
				8
			CLIENT DATE	t
				t
			ACCOUNT EXECUTIVE DATE	ť
			LANDLORD DATE	ď
			LANDLORD DATE	5
			ALL CHANGES MUST BE INITIALED BY CLIENT AND ACCOUNT EXECUTIVE ON	ļ
·			FINAL APPROVED PRINT.	t

This drawing is the exclusive property of Accent Graphics, Inc. and is the result of the original work of its employees. The plans are provided to your company for the sole purpose of considering the purchase of a sign manufactured by Accent Graphics, Inc. based on these plans OR the purchase of the plans and design concepts contained therein for manufacture elsewhere. Distribution or exhibition of the plans to anyone outside of your company or the use of the plans by others to manufacture or design a similar sign as displayed in the plans is expressly forbidden. In the event that such exhibition occurs, Accent Graphics will expec payment of a minimum \$2000 design fee in recompense for the time and effort entailed to produce the plans.

BRAKES PLUS CLIENT_ _STORE # INSTALLATION ADDRESS NORTH RICHLAND HILLS, TX NT KD ACCOUNT EXECUTIVE DESIGNER ___ DATE 2-27-2020 SHEET 7 OF 7 DESIGN# 20-185 REV-1 Gerber FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Production\JOBS


Corel FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Drawings

COMPLETE SIGN SERVICE & FABRICATION

523 E. ROCK ISLAND **GRAND PRAIRIE, TX 75050**

METRO (972) 399-0333 (972) 986-4456 WEBSITE www.accentgraphicsinc.com (800) 810-3045

TOLL FREE (800) 810-3044





DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT
TIDAL WAVE
8616 DAVIS BLVD
NORTH RICHLAND HILLS, TX 75028

REVISIONS: REVISION # - DATE DESIGNER Ryan McAllister
ACCOUNT REP. NAME

SCALE: AS INDICATED

DRAWING FILE NAME

0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \
TIDAL WAVE NORTH RICHLAND HILLS -

04 2 20.CDR





THIS DRAWING IS AN ORIGINAL, UNPUBLISHED DESIGN CREATED BY CLAYTON SIGNS, INC. IT IS NOT TO BE REPRODUCED, CHANGED, OR EXHIBITED TO ANYONE OUTSIDE OF YOUR COMPANY IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE OWNER OF CLAYTON SIGNS, INC. ANY SUCH ACTIONS MAY BE SUBJECT TO LEGAL ACTION IN A COURT OF LAW.


© 2019 ALL RIGHTS RESERVED

SIGN TYPE A: ENTRANCE MONUMENT DOUBLE-SIDED, INTERNALLY ILLUMINATED

QTY: 1



SIGN MESSAGE AREA = 33.25 SQ. FT. SIGN STRUCTURE AREA = 65 SQ. FT. 8" MASONRY BORDER AROUND COPY





P2 PAINT - WHITE (GLOSS FINISH)

MATCH PANTONE 2985 C
MATCH PANTONE 287 C
MATCH PANTONE 368 C

D1 DIGITAL PRINT ON TRANSLUCENT VINYL

MATCH PANTONE PROCESS BLUE

5198 NORTH LAKE DRIVE LAKE CITY, GA 30260 404-361-3800 FAX 404-361-7038 WWW.CLAYTONSIGNS.COM

DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT
TIDAL WAVE
8616 DAVIS BLVD
NORTH RICHLAND HILLS, TX 75028

REVISIONS: REVISION # - DATE

DESIGNER Ryan McAllister
ACCOUNT REP. NAME

SCALE: AS INDICATED

DRAWING FILE NAME

0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \
TIDAL WAVE NORTH RICHLAND HILLS 04 2 20.CDR




10' WATER LINE ESMT. VOL. 14271, PG. 137 O.P.R.T.C.T.


THIS DRAWING IS AN ORIGINAL, UNPUBLISHED DESIGN CREATED BY CLAYTON SIGNS, INC. IT IS NOT TO BE REPRODUCED, CHANGED, OR EXHIBITED TO ANYONE OUTSIDE OF YOUR COMPANY IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE OWNER OF BE SUBJECT TO LEGAL ACTION IN A COURT OF LAW.

© 2019 ALL RIGHTS RESERVED

43.56

SIGN TYPE C: FACE-LIT CHANNEL LETTERS QTY: 1 SET FOR TUNNEL EXIT- 19.01 SQ. FT. 15'-2" 4" DEEP FABRICATED ALUMINUM CHANNEL LETTERS WITH 1" TRIM CAP - PAINTED P1 3/16" WHITE ACRYLIC FACES 7"X" RACEWAY - PAINTED P2





CUL US

CHANNEL LETTERS (WHITE ILLUMINATION) WET LOCATION

LED's JTSLSO65W-0.5 WHITE LED POWER SUPPLY



CONNECT THE AC LINE TO THE BLACK (LINE) AND WHITE (NEUTRAL) INPUT WIRES OF THE POWER SUPPLY USING 18-14 AWI TWIST ON WIRE CONNECTORS. GROUND POWER SUPPLY GREEN WIRE TO GROUNDING SCREW. REPLACE JUNCTION BOX COVER.



THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN



5198 NORTH LAKE DRIVE LAKE CITY, GA 30260 404-361-3800 FAX 404-361-7038 WWW.CLAYTONSIGNS.COM

P1 PAINT - MATCH PANTONE 281 C (GLOSS FINISH)

P2 PAINT - MATCH BUILDING FACADE (GLOSS FINISH)

DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT
TIDAL WAVE
8616 DAVIS BLVD
NORTH RICHLAND HILLS, TX 75028

REVISIONS: REVISION # - DATE DESIGNER Ryan McAllister ACCOUNT REP. NAME

SCALE: AS INDICATED

DRAWING FILE NAME

0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \
TIDAL WAVE NORTH RICHLAND HILLS
04 2 20.CDR








THIS DRAWING IS AN ORIGINAL UNPUBLISHED DESIGN CREATED BY CLAYTON SIGNS, INC. IT IS NOT TO BE REPRODUCED, CHANGED, OR EXHIBITED TO ANYONE OUTSIDE OF YOUR COMPANY IN WHOLE OR IN PART WITHOUT FROM THE OWNER OF CLAYTON SIGNS, INC. ANY SUCH ACTIONS MAY B SUBJECT TO LEGAL ACTION IN A COURT OF LAW.


© 2019 ALL RIGHTS RESERVED











THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF THE SIGN



5198 NORTH LAKE DRIVE LAKE CITY, GA 30260 404-361-3800 FAX 404-361-7038 WWW.CLAYTONSIGNS.COM

P2 PAINT - MATCH BUILDING FACADE (GLOSS FINISH)

DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT
TIDAL WAVE
8616 DAVIS BLVD
NORTH RICHLAND HILLS, TX 75028

REVISIONS: REVISION # - DATE DESIGNER Ryan McAllister
ACCOUNT REP. NAME

SCALE: AS INDICATED DRAWING FILE NAME

0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \
TIDAL WAVE NORTH RICHLAND HILLS 04 2 20.CDR






THIS DRAWING IS AN ORIGINAL UNPUBLISHED DESIGN CREATED BY CLAYTON SIGNS, INC. IT IS NOT TO BE REPRODUCED, CHANGED, OR EXHIBITED TO ANYONE OUTSIDE OF YOUR COMPANY IN WHOLE OR IN PART WITHOUT WITTEN PERMISSION FROM THE OWNER OF CLAYTON SIGNS, INC. ANY SUCH ACTIONS MAY B SUBJECT TO LEGAL ACTION IN A COURT OF LAW.

© 2019 ALL RIGHTS RESERVED



SIGN TYPE D: MENUS SINGLE-SIDED, INTERNALLY ILLUMINATED QTY: 2





D1 DIGITALLY PRINTED TRANSLUCENT VINYL
MATCH PANTONE 281C

MATCH PANTONE 2985C

P1 PAINT - MATCH PANTONE 281C

MATCH PANTONE PROCESS BLUE

MATCH PANTONE 368C





DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT
TIDAL WAVE
8616 DAVIS BLVD
NORTH RICHLAND HILLS, TX 75028

REVISIONS: REVISION # - DATE DESIGNER Ryan McAllister
ACCOUNT REP. NAME

DRAWING FILE NAME
0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \
TIDAL WAVE NORTH RICHLAND HILLS -

SCALE: AS INDICATED

04 2 20.CDR





THIS DRAWING IS AN ORIGINAL, UNPUBLISHED DESIGN CREATED BY CLAYTON SIGNS, INC. IT IS NOT TO BE REPRODUCED, CHANGED, OR EXHIBITED TO ANYONG OUTSIDE OF YOUR COMPANY IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM THE OWNER OF CLAYTON SIGNS, INC. ANY SUCH ACTIONS MAY BE SUBJECT TO LEGAL ACTION IN A COURT OF LAW.

© 2019 ALL RIGHTS RESERVED




SIGN TYPE E: NON-ILLUMINATED ENTRANCE SIGN QTY: 1




PAINT COLOR FOR SIGN CABINET

TO MATCH PANTONE 281 C. GLOSS FINISH

TO MATCH PANTONE COOL GRAY 1C. GLOSS FINISH





D1 DIGITAL PRINT ON TRANSLUCENT VINYL

MATCH PANTONE 2985 C MATCH PANTONE 287 C

MATCH PANTONE 368 C

MATCH PANTONE PROCESS BLUE



5198 NORTH LAKE DRIVE LAKE CITY, GA 30260 404-361-3800 FAX 404-361-7038 WWW.CLAYTONSIGNS.COM DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT TIDAL WAVE 8616 DAVIS BLVD NORTH RICHLAND HILLS, TX 75028 REVISIONS: REVISION # - DATE DESIGNER Ryan McAllister ACCOUNT REP. NAME

SCALE: AS INDICATED DRAWING FILE NAME 0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \

TIDAL WAVE NORTH RICHLAND HILLS -

04 2 20.CDR


STATUS:



© 2019 ALL RIGHTS RESERVED

SIGN TYPE G: DIRECTIONAL SIGNS DOUBLE-SIDED (SEE MESSAGE SCHED.) QTY: 2





SIGN TYPE G: DIRECTIONAL SIGNS MESSAGE SCHEDULE



EXIT ONLY

DO NOT ENTER

SIGN 1 - SIDE A



SIGN 1 - SIDE B



SIGN 2 - SIDE A

V1 VINYL - AVERY 700-101-0 WHITE



DATE - 04/ 2/ 2020 SIGN TYPE EXTERIOR SIGN PACKAGE CLIENT TIDAL WAVE 8616 DAVIS BLVD NORTH RICHLAND HILLS, TX 75028 REVISIONS: REVISION # - DATE DESIGNER Ryan McAllister ACCOUNT REP. NAME

SCALE: AS INDICATED

DRAWING FILE NAME

0:\ BM\ TIDAL WAVE \ NORTH RICHLAND HILLS \ TIDAL WAVE NORTH RICHLAND HILLS -04 2 20.CDR





© 2019 ALL RIGHTS RESERVED



SIGN TYPE H: MARKETING SIGNS / DIGITAL PRINT ON 3/8" FLUTED PLASTIC ON SPRING FRAME QTY: 1 EACH






Double Sided



Double Sided



Double Sided



Double Sided



QTY. 2 74.75" SINGLEWASH **GENTALIZA** WASHES PROVIDES THE LONGEST LASTING SHINE!






04 2 20.CDR



SOUTH & WEST ELEVATION



PLEX FACE CHANNEL LETTERS

QTY: (2) REQUIRED SCALE: 3/8"=1'-0"

INSTALLATION REQUIREMENTS for all signs unless specified otherwise on individual sign specifications. Variation from this criteria without written approval from Accent Graphics is strictly forbidden. *All freestanding signs are to be engineered for local conditions by a licensed and registered engineer.

				MOUNTIN	G SURFAC	E		
	SQUARE FOOTAGE	WOOD	SHEET METAL	BRICK	CONCRETE	CONCRETE BLOCK	DRYVIT / EIFIS	STUCCO over wire mesh
	UNDER	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" LEAD ANCHORS	3/8" LEAD ANCHORS	3/8" TOGGLE	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2" angle iron backer
	10 SQ. FT.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8* bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8* bolts are required.
ZE	10 SQ. FT. TO	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" LEAD ANCHORS	3/8" LEAD ANCHORS	3/8" TOGGLE	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer
	50 SQ. FT.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8* bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.
S	50 SQ. FT. TO	3/8" THRU BOLTS w/ 3' angle iron backer	3/8" THRU BOLTS w/ 3' angle iron backer	1/2" LEAD ANCHORS	1/2" LEAD ANCHORS	3/8" THRU BOLTS w/ 1' angle iron backer	3/8" THRU BOLTS w/ 3' angle iron backer	3/8" THRU BOLTS w/ 3' angle iron backer
GN	100 SQ. FT.	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 1/2" bolts are required	A minimum of (10) 1/2" bolts are required	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 3/8" bolts are required.
SIG	100 SQ. FT. TO 200 SQ. FT.	1/2"THRU BOLTS w/ 3' angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2"THRU BOLTS w/ 3' angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2" WEDGE ANCHOR A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2" WEDGE ANCHOR A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2"THRU BOLTS w/ 3" angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft is required.	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING
	OVER 200 SQ. FT.	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING	1/2" THRU BOLTS w/ at least 3' angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft	1/2" THRU BOLTS w/ at least 1' angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING

NOTE:
ACCESS REQUIRED FOR
ELECTRICAL & INSTALLATION




67.625 SQ FT

REMOTE POWER SUPPLY UNIT. 120 VAC PRIMARY 12volt DC SECONDARY.

NUMBER REQ'D. = ____

THIS SIGN IS MET/UL COMPLIANT



*WHERE LETTERS LOGO ARE MOUNTED ON PARAPET WALL CONCEAL ALL ELECTRICAL IN WIREWAY

SECTION DETAIL: FLUSH MOUNT CHANNEL LETTERS

DATE	REVISIONS	NAME	AUTHORIZATION	•	
3-2-2020	REVISION ON PG. 6, REVISED PANEL & LOGO HEIGHTS TO BE EQUAL	KD		1	
			CLIENT DATE	1	
				В	
			ACCOUNT EXECUTIVE DATE	ľ	
			LANDLORD DATE	(
			ALL CHANGES MUST BE INITIALED BY		
			CLIENT AND ACCOUNT EXECUTIVE ON	i i	
			FINAL APPROVED PRINT.		

This drawing is the exclusive property of Accent Graphics, Inc. and is the result of the original work of its employees. The plans are provided to your company for the sole purpose of considering the purchase of a sign manufactured by Accent Graphics, Inc. based on these plans OR the purchase of the plans and design concepts contained therein for manufacture elsewhere. Distribution or exhibition of the plans to anyone outside of your company or the use of the plans by others to manufacture or design a similar sign as displayed in the plans is expressly forbidden. In the event that such exhibition occurs, Accent Graphics will expect payment of a minimum \$2000 design fee in recompense for the time and effort entailed to produce the plans.

CLIENT BRAKES PLUS STORE # INSTALLATION ADDRESS NORTH RICHLAND HILLS, TX


DESIGNER KD ACCOUNT EXECUTIVE NT
DATE 2-27-2020 SHEET 1 OF 7 DESIGN # 20-185 REV-1

Gerber FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Production\JOBS Corel FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Production\JOBS



523 E. ROCK ISLAND
GRAND PRAIRIE, TX 75050
EMAIL
WEBSITE www.accentgraphicsinc.com

TOLL FREE (800) 810-3044 METRO (972) 399-0333 FAX (972) 986-4456 com FAX (800) 810-3045



PLEX FACE ILLUMINATED CHANNEL LETTERS - FLUSH MOUNT

QTY: (1) REQUIRED Scale: 3/32" = 1'-0"

DATE	REVISIONS	NAME	AUTHORIZATION	-
DAIL	INEVISIONS	INAIVIL	AUTHORIZATION	TI
				aı
				a
			CLIENT DATE	th
				b
			ACCOUNT EXECUTIVE DATE	C
				ti
				0
			LANDLORD DATE	si
			ALL CHANGES MUST BE INITIALED BY	th
			CLIENT AND ACCOUNT EXECUTIVE ON	р
			FINAL APPROVED PRINT.	ti

This drawing is the exclusive property of Accent Graphics, Inc. and is the result of the original work of its employees. The plans are provided to your company for the sole purpose of considering the purchase of a sign manufactured by Accent Graphics, Inc. based on these plans <u>OR</u> the purchase of the plans and design concepts contained therein for manufacture elsewhere. Distribution or exhibition of the plans to anyone outside of your company or the use of the plans by others to manufacture or design a similar sign as displayed in the plans is expressly forbidden. In the event that such exhibition occurs, Accent Graphics will expect payment of a minimum \$2000 design fee in recompense for the time and effort entailed to produce the plans.


	CLIENT	BRAKES PLUS	STORE #		
g	INSTALLATION ADDRESS	3			
	NORTH R	ICHLAND HILLS, TX			
,	DESIGNER KD	ACCOUNT EXECUTIVE	NT		
		SHEET 2 OF 7 DESIGN#			
A.	Gerber FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Production\JOBS Corel FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Drawings				



523 E. ROCK ISLAND
GRAND PRAIRIE, TX 75050
EMAIL
WEBSITE www.accentgraphicsinc.com

TOLL FREE (800) 810-3044 METRO (972) 399-0333 FAX (972) 986-4456 om FAX (800) 810-3045

PROPOSED WEST ELEVATION



PLEX FACE ILLUMINATED CHANNEL LETTERS - FLUSH MOUNT

QTY: (1) REQUIRED Scale: 1/8" = 1'-0"

DATE	REVISIONS	NAME	AUTHORIZATION	Т
				а
				a tl
			CLIENT DATE	b
				C
			ACCOUNT EXECUTIVE DATE	ti
				o
			LANDLORD DATE	s
			ALL CHANGES MUST BE INITIALED BY	th
			CLIENT AND ACCOUNT EXECUTIVE ON	р
			FINAL APPROVED PRINT.	ti

This drawing is the exclusive property of Accent Graphics, Inc. and is the result of the original work of its employees. The plans are provided to your company for the sole purpose of considering the purchase of a sign manufactured by Accent Graphics, Inc. based on these plans OR the purchase of the plans and design concepts contained therein for manufacture elsewhere. Distribution or exhibition of the plans to anyone outside of your company or the use of the plans by others to manufacture or design a similar sign as displayed in the plans is expressly forbidden. In the event that such exhibition occurs, Accent Graphics will expect payment of a minimum \$2000 design fee in recompense for the time and effort entailed to produce the plans.

ı	CLIENT		BRAKES PLUS	3	STORE #
9	INSTALLATION	NADDRESS_			
			HLAND HILLS,		
	DESIGNER	KD	ACCOUNT EXE	CUTIVE	NT
			EET <u>3</u> OF <u>7</u>		
	Gerber FILE = F	P:\1-2020-Jobs\	B\Brakes Plus\N Rich	land Hills\Produ	iction\JOBS

Corel FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Drawings



523 E. ROCK ISLAND
GRAND PRAIRIE, TX 75050
EMAIL
WEBSITE www.accentgraphicsinc.com

TOLL FREE (800) 810-3044 METRO (972) 399-0333 FAX (972) 986-4456 m FAX (800) 810-3045



Scale: 1/2" = 1'-0" (1) SET REQUIRED

INSTALLATION REQUIREMENTS for all signs unless specified otherwise on individual sign specifications. Variation from this criteria without written approval from Accent Graphics is strictly forbidden.

* All freestanding signs are to be engineered for local conditions by a licensed and registered engineer.

		MOUNTING SURFACE								
	SQUARE FOOTAGE	WOOD	SHEET METAL	BRICK	CONCRETE	CONCRETE BLOCK	DRYVIT / EIFIS	STUCCO over wire mesh	Kers =	
	UNDER	3/8" THRU BOLTS w/ 2" angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" LEAD ANCHORS	3/8" LEAD ANCHORS	3/8" TOGGLE	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer	24" 0	
	10 SQ. FT.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	36	
	10 SQ. FT.	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" LEAD ANCHORS	3/8" LEAD ANCHORS	3/8" TOGGLE	3/8" THRU BOLTS w/ 2' angle iron backer	3/8" THRU BOLTS w/ 2' angle iron backer	long	
ZE	TO 50 SQ. FT.	A minimum of (4) 3/8* bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8* bolts are required.	A minimum of (4) 3/8" bolts are required.	A minimum of (4) 3/8" bolts are required.	steel	
S	50 SQ. FT. TO	3/8" THRU BOLTS w/ 3' angle iron backer	3/8" THRU BOLTS w/ 3' angle iron backer	1/2" LEAD ANCHORS	1/2" LEAD ANCHORS	3/8" THRU BOLTS w/ 1' angle iron backer	3/8" THRU BOLTS w/ 3' angle iron backer	3/8" THRU BOLTS w/ 3' angle iron backer	angle	
GN	400 00 FT	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 1/2" bolts are required	A minimum of (10) 1/2" bolts are required	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 3/8" bolts are required.	A minimum of (10) 3/8" bolts are required.	e iroi	
SIC	100 SQ. FT. TO 200 SQ. FT.	1/2" THRU BOLTS w/3" angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2" THRU BOLTS w/3' angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2" WEDGE ANCHOR A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2" WEDGE ANCHOR A minimum of (1) 1/2" bolt per each 15 sq ft is required.	1/2" THRU BOLTS w/3" angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft is required.	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING	n (1½" x 1	
	OVER 200 SQ. FT.	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING	1/2" THRU BOLTS w/ at least 3" angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft	1/2" THRU BOLTS w/ at least 1" angle iron backer A minimum of (1) 1/2" bolt per each 15 sq ft	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING	REQUIRES SPECIAL ENGINEERING	1½" min.)	

DATE	REVISIONS	NAME	AUTHORIZATION
			CLIENT DATE
			ACCOUNT EXECUTIVE DATE
			LANDLORD DATE
			ALL CHANGES MUST BE INITIALED BY CLIENT AND ACCOUNT EXECUTIVE ON
·			FINAL APPROVED PRINT.

This drawing is the exclusive property of Accent Graphics, Inc. and is the result of the original work of its employees. The plans are provided to your company for the sole purpose of considering the purchase of a sign manufactured by Accent Graphics, Inc. based on these plans OR the purchase of the plans and design concepts contained therein for manufacture elsewhere. Distribu tion or exhibition of the plans to anyone outside of your compan or the use of the plans by others to manufacture or design a similar sign as displayed in the plans is expressly forbidden. In the event that such exhibition occurs, Accent Graphics will expen payment of a minimum \$2000 design fee in recompense for the time and effort entailed to produce the plans.

BRAKES PLUS CLIENT. STORE # INSTALLATION ADDRESS. NORTH RICHLAND HILLS, TX ACCOUNT EXECUTIVE DESIGNER. DATE 2-27-2020 SHEET 4 OF 7 DESIGN# 20-185 REV-1 Gerber FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Production\JOBS Corel FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Drawings

BACKS & RETURNS COLOR - DARK BRONZE 1" JEWELITE TRIMCAP -COLOR - DARK BRONZE COLOR - #278-0 ACRYLITE RED LED ILLUMINATION -**COLOR - 4" SLOAN RED MODULES** NON-CORROSIVE FASTENERS AS REQ'D. .040 ALUMINUM WIREWAY ☑ 10"x 2" PAINTED -TO MATCH FASCIA: 1/4" WEEP HOLES MYES □NO

5"

*WHERE LETTERS LOGO ARE MOUNTED ON PARAPET WALL CONCEAL ALL ELECTRICAL IN WIREWAY

SECTION DETAIL: FLUSH MOUNT CHANNEL LETTERS

NOTE: ACCESS REQUIRED FOR

ELECTRICAL & INSTALLATION

.040 ALUMINUM -

accent	graphics
COMPLETE SIGN	SERVICE & FABRICATION
523 E. ROCK ISLAND	TOLL FREE (800) 810-3044

FAX WEBSITE www.accentgraphicsinc.com

(800) 810-3045


METRO

(972) 399-0333

(972) 986-4456

GRAND PRAIRIE. TX 75050

PROPOSED NORTH ELEVATION



PLEX FACE ILLUMINATED CHANNEL LETTERS - FLUSH MOUNT

QTY: (1) REQUIRED Scale: 3/32" = 1'-0"

DATE	REVISIONS	NAME	AUTHORIZATION	Т
				a
			CLIENT DATE	tl
				b
			ACCOUNT EXECUTIVE DATE	ti
				c
			LANDLORD DATE	s th
			ALL CHANGES MUST BE INITIALED BY CLIENT AND ACCOUNT EXECUTIVE ON	р
			FINAL APPROVED PRINT.	ti

This drawing is the exclusive property of Accent Graphics, Inc. and is the result of the original work of its employees. The plans are provided to your company for the sole purpose of considering the purchase of a sign manufactured by Accent Graphics, Inc. based on these plans OR the purchase of the plans and design concepts contained therein for manufacture elsewhere. Distribution or exhibition of the plans to anyone outside of your company or the use of the plans by others to manufacture or design a similar sign as displayed in the plans is expressly forbidden. In the event that such exhibition occurs, Accent Graphics will expect payment of a minimum \$2000 design fee in recompense for the time and effort entailed to produce the plans.

	CLIENT	BRAKES PLUS	STORE #		
g	INSTALLATION ADDRESS _				
	NORTH RIC	HLAND HILLS, TX			
,	DESIGNER_ KD	ACCOUNT EXECUTIVE	NT NT		
	DATE 2-27-2020 SHE	EET 5 OF 7 DESIG	_{SN #} _20-185 REV-1		
t.	Gerber FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Production\JOBS Corel FILE = P:\1-2020-Jobs\B\Brakes Plus\N Richland Hills\Drawings				



523 E. ROCK ISLAND
GRAND PRAIRIE, TX 75050
EMAIL
WEBSITE www.accentgraphicsinc.com

TOLL FREE (800) 810-3044 METRO (972) 399-0333 FAX (972) 986-4456 FAX (800) 810-3045

