

#### **Water Utility Products**

600 Knightsbridge Pkwy | Lincolnshire IL 60069 T +1 847 537 8800 | F +1 847 520 1147 ehwachs.com

### Quotation

Page 1 of 3

TO: Zane Ryan

Fleet North Richland Hills - Fleet 6110 Dick Fisher W North Richland Hills, TX 76180 Date: 1/11/2021

Quotation Number: JB133723
Payment Terms: Net 30 Days
Shipping Terms: FOB Origin
Valid Through: 3/31/2021
Estimated Delivery: See Below

Reference: BuyBoard #597-19

E.H. Wachs is pleased to offer the following quotation.

	Item Number	Description	Qty	U/M	Unit Price (USD)	Disc%	Line Total (USD)
1	77-000-38	Standard LX (Diesel) – VMT (RH): Single turner valve maintenance trailer; includes Wachs 750 Ft/lb (1020 Nm) Extended Reach Valve operator, telescoping valve key and Wachs ruggedized HC-100 with GPS controller/datalogger. A Tier 4F compliant, Kubota 1.1L, I-3 4-stroke, liquid cooled, IDI diesel engine provides ample power for all contained functions, including an auxiliary HTMA Class II circuit; 10 gallon (38 L) reservoir, fan cooled heat exchanger, continuous duty rated for 8 GPM (30.3 LPM) @ 1,800 PSI (125 bar). A positive displacement blower provides 500 CFM (14.2 cmm)-11" (280mm) Hg vacuum, with spoils containment provided by a 250 (950 L) gallon tank with power hydraulic dump (rear discharge) and latching rear door. Also driven from the common power train is a 2.5 gpm (9.5 LPM) @ 3000 PSI (210 bar) pressure washer system with 3 gallon (11.4 L) anti-freeze tank and 95 gallon (360 L) water tank. Includes 2-1/2" (63.5mm), 1-1/4" (31.75mm) & 7/8" (22mm) suction wands and one each short and long wash-down guns. The LX package bundles the light bar with arrow board, 45' (14 M) auxiliary hydraulic hose reel for operation of hydraulic power tools, Bluetooth tethering module (installed in ERV-750) for wireless communication between the exerciser and Controller/Data Logger and 24" (61cm) X 18" (46cm) x 18" (46cm) aluminum job box.  Other options available include: Under deck mounted Spare Tire Kit (77-411-00), 2-5/16" Ball Tongue (77-215-01), 45lb Breaker, Mount and 14" Moil Point (08-000-10, 08-405-00 & 08-410-02) or already GPS enabled controller/datalogger, however adding Trimble R2 GNSS receiver (79-412-02) provides survey grade centimeter accuracy.	1	EA	74,000.00	1.5%	72,890.00
2	77-215-01	2-5/16" Ball Tongue Kit for VMTs	1	EA	0.00	1.5%	0.00
3	79-110-13	HC-100 Extended Protection Plan (3 YR): The ultimate in "worry-free" maintenance and product protection. Includes expedited services, accidental damage and loaner coverages. Consult the Complete Care brochure for details.	1	EA	1,425.00	1.5%	1,403.62
		Only available at time of initial purchase.					



# Water Utility Products

600 Knightsbridge Pkwy | Lincolnshire IL 60069 T +1 847 537 8800 | F +1 847 520 1147 ehwachs.com

## Quotation

Page 2 of 3

TO: Zane Ryan

1/11/2021 Date:

JB133723 **Quotation Number:** 

Total (USD)

\$89,653.56

					Reference: BuyBoa		oard #597-19
	Item Number	Description	Qty	U/M	Unit Price (USD)	Disc%	Line Total (USD)
4	79-412-02	Trimble R2 GNSS GPS Receiver provides up to Centimeter" accuracy, benefit from the support of multiple satellite constellations and select from a range of correction sources (from SBAS and VRS networks to Trimble RTX correction services delivered by satellite and Internet) for accurate data at almost any location. This unit is a stand alone GPS receiver which includes the NEMA output option (required when utilizing Vitals or other third party software) that pairs via Bluetooth wireless communication to the HC-100, Recon or other supported data collector. Also included are Ram Mount interfaces for the TM-7 & ERV-750 valve machines.  Restocking Note: This is a non-stocked item becuase of the speed at which this technology changes, so restocking fees are applied if returned.  Non-Stock item, expect longer delivery	1	EA	8,750.00	1.5%	8,618.75
5	08-000-10	45 Pound Hydraulic Breaker with EZ Ride Foot and 1-1/8" hex bit capacity. This medium duty breaker operates from any HTMA Class 2 hydraulic circuit and produces 1,800 blows per minute; making it idea for cutting curbs, sidewalks and asphalt.	1	EA	3,495.00	1.5%	3,442.57
6	08-405-00	Breaker Mount for Valve Maintenance Trailer, requires Breaker to have 14" Long Chisel (08-410-02 Moil Point sold separately). Includes breaker mount and breaker lock.	1	EA	390.00	1.5%	384.15
7	08-410-01	5" x 11" Asphalt Cutter for Breaker	1	EA	225.00	1.5%	221.62
8	08-410-02	14" Moil Point for Breaker	1	EA	80.00	1.5%	78.80
9	08-410-03	3" x 14" Long Chisel	1	EA	104.50	1.5%	102.93
10	77-411-00	Spare Tire Kit for VMTs, includes wheel assembly and underdeck tire hoist.	1	EA	925.00	1.5%	911.12
					Subtotal Motor Freight		88,053.56 1,600.00



#### Water Utility Products 600 Knightsbridge Pkwy | Lincolnshire IL 60069 T +1 847 537 8800 | F +1 847 520 1147 ehwachs.com

### Quotation

Page 3 of 3

 TO:
 Zane Ryan
 Date:
 1/11/2021

 Quotation Number:
 JB133723

Thank you for the opportunity to quote your application needs. If you have any questions or if I may be of any further assistance to you please do not hesitate to notify me.

(SALES TAX!!!!) We collect sales tax in all but the following states: AK, DE, MT, OR and NH. If you are tax exempt please supply your identification number and certificate with your order. If your exempt number is not on file, tax will be added to your order.

Jeffrey Brehm Outside Sales Rep Utility Div. 512-348-0171 jbrehm@ehwachs.com

Sales of E.H. Wachs products and services are expressly limited to and made conditional on acceptance of its current Terms and Conditions of Sale, found at www.ehwachs.com ("Terms"). Any additional or different terms are hereby rejected. Commencement of work by E.H. Wachs or acceptance of delivery of products by you constitutes your acceptance of the Terms.